

CLAIMS

What is claimed is:

5

1. An isolated nucleic acid comprising a nucleotide sequence encoding a polypeptide comprising an LRRCT domain consisting of the amino acid sequence:

10

N X₁ W X₂ C X₃ C R A R X₄ L W X₅ W X₆ X₇ X₈ X₉ R X₁₀ S S S X₁₁ V

X₁₂ C X₁₃ X₁₄ P X₁₅ X₁₆ X₁₇ X₁₈ X₁₉ X₂₀ D L X₂₁ X₂₂ L X₂₃ X₂₄ X₂₅ D

X₂₆ X₂₇ X₂₈ C [SEQ ID NO: 19]

15

wherein X is any amino acid or a gap and the polypeptide does not comprise the amino acid sequence from residue 260 to 309 of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1).

20

2. The isolated nucleic acid according to claim 1, wherein X₁₇ and X₂₃ are independently selected from the group consisting of: arginine and lysine.

25

3. The isolated nucleic acid according to claim 2, wherein the amino acid sequence of the LRRCT domain is selected from the group consisting of: residues #261-310 of SEQ ID NO: 2 and residues 261-310 of SEQ ID NO: 2 with up to 10 conservative amino acid substitutions.

30

4. An isolated nucleic acid encoding the polypeptide of SEQ ID NO: 2.

5. An isolated nucleic acid encoding the polypeptide of SEQ ID NO: 4 (mouse NgR3) or SEQ ID NO: 14 (human NgR3).

6. The isolated nucleic acid according to claim 1, wherein the

BEST AVAILABLE COPY

polypeptide comprises: (a) a NTLRRCT domain, and (b) less than a complete CTS domain, provided that a partial CTS domain, if present, consists of no more than the first 39 amino acids of the CTS domain.

5 7. The isolated nucleic acid to claim 1, wherein the polypeptide does not comprise an intact GPI domain.

8. An isolated nucleic acid consisting essentially of a nucleotide sequence complementary to a nucleotide sequence encoding a polypeptide selected
10 from the group consisting of: a polypeptide consisting of residues 311-395 of SEQ ID NO: 2, a polypeptide consisting of residues 256-396 of SEQ ID NO: 14 and a polypeptide consisting of residues 321-438 of SEQ ID NO: 4, wherein the nucleic acid is from 8 to 100 nucleotides in length.

15 9. A vector comprising the nucleic acid of any one of claims 1, 4 or 5.

10. A host cell comprising a vector according to claim 9.

11. A polypeptide comprising a LRRCT amino acid sequence:

20

N X₁ W X₂ C X₃ C R A R X₄ L W X₅ W X₆ X₇ X₈ X₉ R X₁₀ S S S X₁₁ V

X₁₂ C X₁₃ X₁₄ P X₁₅ X₁₆ X₁₇ X₁₈ X₁₉ X₂₀ D L X₂₁ X₂₂ L X₂₃ X₂₄ X₂₅ D

25

X₂₆ X₂₇ X₂₈ C [SEQ ID NO: 19]

wherein X is any amino acid residue or a gap and the polypeptide does not comprise the amino acid sequence from residue 260 to 309 of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1).

30

12. The polypeptide according to claim 11, wherein X₁₇ and X₂₃ is selected from the group consisting of arginine and lysine.

13. The polypeptide according to claim 11, wherein X₁₉ is glycine.

[SEQ ID NO:11]

14. The polypeptide according to claim 11, wherein the amino acid sequence is selected from the group consisting of residues 261-310 of SEQ ID NO:2, residues 206-255 of SEQ ID NO: 14, residues 271-320 of SEQ ID NO:4 and amino acid sequences thereof comprising a conservative substitution.

15. A polypeptide comprising a NTLRRCT amino acid sequence:

CPX₁X₂CX₃CYX₄X₅PX₆X₇TX₈SCX₉X₁₀X₁₁X₁₂X₁₃X₁₄X₁₅X₁₆P
X₁₇X₁₈X₁₉PX₂₀X₂₁X₂₂X₂₃RX₂₄FLX₂₅X₂₆NX₂₇IX₂₈X₂₉X₃₀X₃₁X₃₂X₃₃
X₃₄FX₃₅X₃₆X₃₇X₃₈X₃₉X₄₀X₄₁X₄₂LWX₄₃X₄₄SNX₄₅X₄₆X₄₇X₄₈IX₄₉
X₅₀X₅₁X₅₂FX₅₃X₅₄X₅₅X₅₆X₅₇LEX₅₈LDLX₅₉DNX₆₀X₆₁LX₆₂X₆₃X₆₄
X₆₅PX₆₆TFX₆₇GLX₆₈X₆₉LX₇₀X₇₁LX₇₂LX₇₃X₇₄CX₇₅LX₇₆X₇₇LX₇₈
X₇₉X₈₀X₈₁FX₈₂GLX₈₃X₈₄LQYLYLQX₈₅NX₈₆X₈₇X₈₈X₈₉LX₉₀D
X₉₁X₉₂FX₉₃DLX₉₄NLX₉₅HLFLHGNX₉₆X₉₇X₉₈X₉₉X₁₀₀X₁₀₁X₁₀₂
X₁₀₃X₁₀₄FRGLX₁₀₅X₁₀₆LDRLLLHX₁₀₇NX₁₀₈X₁₀₉X₁₁₀X₁₁₁VHX₁₁₂
X₁₁₃AFX₁₁₄X₁₁₅LX₁₁₆RLX₁₁₇X₁₁₈LX₁₁₉LFX₁₂₀NX₁₂₁LX₁₂₂X₁₂₃L
X₁₂₄X₁₂₅X₁₂₆X₁₂₇LX₁₂₈X₁₂₉LX₁₃₀X₁₃₁LX₁₃₂X₁₃₃LRLNX₁₃₄NX₁₃₅W
X₁₃₆CX₁₃₇CRX₁₃₈RX₁₃₉LWX₁₄₀WX₁₄₁X₁₄₂X₁₄₃X₁₄₄RX₁₄₅SSSX₁₄₆
VX₁₄₇CX₁₄₈X₁₄₉PX₁₅₀X₁₅₁X₁₅₂X₁₅₃X₁₅₄X₁₅₅DLX₁₅₆X₁₅₇LX₁₅₈X₁₅₉X₁₆₀
DX₁₆₁X₁₆₂X₁₆₃C [SEQ ID NO:18]

wherein X is any amino acid residue or a gap and wherein the polypeptide is not the polypeptide of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1).

16. The polypeptide according to claim 15, wherein X₆, X₃₇ and X₃₈ represents a gap.

17. A polypeptide comprising an amino sequence selected from the

group consisting of: SEQ ID NO:2, SEQ ID NO:4 and SEQ ID NO:14.

18. The polypeptide according any one of claims 11, 15 or 17, wherein the polypeptide comprises: (a) an NTLRRCT domain, and (b) less than a complete CTS domain, provided that a partial CTS domain, if present, consists of no more than the first 39 amino acids of the CTS domain.

19. The polypeptide according to any one of claims 11, 15 or 17, wherein the polypeptide does not comprise an intact GPI domain.

20. The polypeptide according to any one of claims 11, 15 or 17, wherein the amino acid sequence of the polypeptide further comprises an amino acid sequence of a heterologous polypeptide.

21. The polypeptide according to claim 20, wherein the heterologous polypeptide is an Fc portion of an antibody.

22. A method of producing a polypeptide according to any one of claims 11, 15 or 17, comprising the steps of introducing an isolated nucleic acid according to any one of claims 1, 4, 5 or 8 or a vector according to claim 9 into a host cell, culturing said host cell under conditions suitable for expression of said polypeptide, and recovering said polypeptide.

23. An antibody that binds to a polypeptide of any one of claims 11, 15 or 17.

24. A composition comprising the polypeptide of claim 11, 15 or 17 and a pharmaceutically acceptable carrier.

25. A composition comprising the antibody of claim 23 and a pharmaceutically acceptable carrier.

26. A method of decreasing inhibition of axonal growth of a CNS neuron, comprising the step of contacting the neuron with an effective amount of the polypeptide of claim 11, 15 or 17.

5 27. A method of treating a central nervous system disease, disorder or injury, comprising administering to a mammal an effective amount of the polypeptide of claim 11, 15 or 17.

10 28. A method of decreasing inhibition of axonal growth of a CNS neuron comprising the step of contacting the neuron with an effective amount of the antibody according to claim 23.

15 29. A method of treating a central nervous system disease, disorder or injury, comprising administering to a mammal an effective amount of the antibody according to claim 23.

30. A method for identifying a molecule that binds a polypeptide of claim 11, 15 or 17 comprising the steps of:

- 20 (a) providing a polypeptide of claim 11, 15 or 17;
 (b) contacting the polypeptide with the candidate molecule;
 and
 (c) detecting binding of the candidate molecule to the polypeptide.

25

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.